

Age-Related Reactions to a Traumatic Event



A fundamental goal of parenting is to help children grow and thrive to the best of their potential. Parents anticipate protecting their children from danger whenever possible, but sometimes serious danger threatens, whether it is manmade, such as a school shooting or domestic violence, or natural, such as a flood or earthquake. And when a danger is life-threatening or poses a threat of serious injury, it becomes a potentially traumatic event for children.

By understanding how children experience traumatic events and how these children express their lingering distress over the experience, parents, physicians, communities, and schools can respond to their children and help them through this challenging time. The goal is to restore balance to these children's lives and the lives of their families.

HOW CHILDREN MAY REACT

How children experience traumatic events and how they express their lingering distress depends, in large part, on the children's age and level of development.

Preschool and young school-age children exposed to a traumatic event may experience a feeling of helplessness, uncertainty about whether there is continued danger, a general fear that extends beyond the traumatic event and into other aspects of their lives, and difficulty describing in words what is bothering them or what they are experiencing emotionally.

This feeling of helplessness and anxiety is often expressed as a loss of previously acquired developmental skills. Children who experience traumatic events might not be able to fall asleep on their own or might not be able to separate from parents at school. Children who might have ventured out to play in the yard prior to a traumatic event now might not be willing to play in the absence of a family member. Often, children lose some speech and toileting skills, or their sleep is disturbed by nightmares, night terrors, or fear of going to sleep. In many cases, children may engage in traumatic play—a repetitive and less imaginative form of play that may represent children's continued focus on the traumatic event or an attempt to change a negative outcome of a traumatic event.

For school-age children, a traumatic experience may elicit feelings of persistent concern over their own safety and the safety of others in their school or family. These children may be preoccupied with their own actions during the event. Often they experience guilt or shame over what they did or did not do during a traumatic event. School-age children might engage in constant retelling of the traumatic event, or they may describe being overwhelmed by their feelings of fear or sadness.

A traumatic experience may compromise the developmental tasks of school-age children as well. Children of this age may display sleep disturbances, which might include difficulty falling asleep, fear of sleeping alone, or frequent nightmares. Teachers often comment that these children are having greater difficulties concentrating and learning at school. Children of this age, following a traumatic event, may complain of headaches and stomach aches without obvious cause, and some children engage in unusually reckless or aggressive behavior.



Adolescents exposed to a traumatic event feel self-conscious about their emotional responses to the event. Feelings of fear, vulnerability, and concern over being labeled “abnormal” or different from their peers may cause adolescents to withdraw from family and friends. Adolescents often experience feelings of shame and guilt about the traumatic event and may express fantasies about revenge and retribution. A traumatic event for adolescents may foster a radical shift in the way these children think about the world. Some adolescents engage in self-destructive or accident-prone behaviors.

Some adolescents engage in self-destructive or accident-prone behaviors.

HOW TO HELP

The involvement of family, physicians, school, and community is critical in supporting children through the emotional and physical challenges they face after exposure to a traumatic event.

For young children, parents can offer invaluable support, by providing comfort, rest, and an opportunity to play or draw. Parents can be available to provide reassurance that the traumatic event is over and that the children are safe. It is helpful for parents, family, and teachers to help children verbalize their feelings so that they don't feel alone with their emotions. Providing consistent caretaking by ensuring that children are picked up from school at the anticipated time and by informing children of parents' whereabouts can provide a sense of security for children who have recently experienced a traumatic event. Parents, family, caregivers, and teachers may need to tolerate regression in developmental tasks for a period of time following a traumatic event.

Older children will also need encouragement to express fears, sadness, and anger in the supportive environment of the family. These school-age children may need to be encouraged to discuss their worries with family members. It is important to acknowledge the normality of their feelings and to correct any distortions of the traumatic events that they express. Parents can be invaluable in supporting their children in reporting to teachers when their thoughts and feelings are getting in the way of their concentrating and learning.

For adolescents who have experienced a traumatic event, the family can encourage discussion of the event and feelings about it and expectations of what could have been done to prevent the event. Parents can discuss the expectable strain on relationships with family and peers, and offer support in these challenges. It may be important to help adolescents understand “acting out” behavior as an effort to voice anger about traumatic events. It may also be important to discuss thoughts of revenge following an act of violence, address realistic consequences of actions, and help formulate constructive alternatives that lessen the sense of helplessness the adolescents may be experiencing.

When children experience a traumatic event, the entire family is affected. Often, family members have different experiences around the event and different emotional responses to the traumatic event. Recognizing each others' experience of the event, and helping each other cope with possible feelings of fear, helplessness, anger, or even guilt in not being able to protect children from a traumatic experience, is an important component of a family's emotional recovery.

AMERICA'S MENTAL HEALTH PULSE

AMERICA'S MENTAL HEALTH PULSE SURVEY 2020
perspectives from 2,026 US Adults during the COVID-19 Outbreak



of Americans are concerned about their **MENTAL HEALTH** because of social distancing

TWO-THIRDS report feeling **ANXIOUS**

AMERICANS ARE **WORRIED** ABOUT IMPACT OF PANDEMIC



70%

concerned about their physical health



90%

concerned about the American Economy



72%


concerned about ability to purchase necessities

HALF report feeling **ISOLATED / LONELY**



4 IN 5 think the pandemic will have a negative impact on the mental health of Americans

Nine in ten think it is more important to have **ACCESS** to **MENTAL HEALTH CARE** as a result of the pandemic



MAJORITY have concerns about **ACCESS**

80%

of Americans worry that people who need mental health services **WON'T BE ABLE TO GET HELP**

57%

of those who did seek mental health care, say that it was **DIFFICULT TO ACCESS**

Looking to **TELEHEALTH** as solution



NEARLY 3 IN 4 agree that the availability of telehealth mental healthcare services would make them more likely to seek mental healthcare if they felt they needed it

America's Mental Health Pulse Survey was conducted online by The Harris Poll on behalf of Cohen Veterans Network March 30-April 1, 2020 among 2,026 U.S. adults ages 18 and older

For more survey findings and tips, visit
cohenveteransnetwork.org

