

















## COVID-19 vs. COLD vs. FLU vs. ALLERGIES

SYMPTOMS	COVID-19* (Gradual onset)	COLD (Sudden onset)	FLU (Sudden onset)	ALLERGIES (Varies)
 <b>Fever</b>	<b>Common</b> (less common than in adults, 100 F or higher)	<b>Common</b>	<b>High (100-102 F), can last 3-4 days</b>	<b>No</b>
 <b>Headache</b>	<b>Common</b>	<b>Rare</b>	<b>Intense</b>	<b>Sometimes</b>
 <b>General aches, pains</b>	<b>Common</b>	<b>Slight</b>	<b>Common, often severe</b>	<b>No</b>
 <b>Cough</b>	<b>Common</b>	<b>Mild to moderate</b>	<b>Common, can become severe</b>	<b>Sometimes</b>
 <b>Loss of smell or taste</b>	<b>Common</b>	<b>Rare (congestion could impact smell)</b>	<b>Rare</b>	<b>Possible (congestion could impact smell)</b>
 <b>Poor appetite, feeding</b>	<b>Sometimes</b>	<b>Sometimes</b>	<b>Sometimes</b>	<b>Rare</b>
 <b>Fatigue, weakness</b>	<b>Sometimes</b>	<b>Slight</b>	<b>Common, often severe</b>	<b>Rare</b>
 <b>Extreme exhaustion</b>	<b>Sometimes (progresses slowly)</b>	<b>Never</b>	<b>Common (starts early)</b>	<b>No</b>
 <b>Stuffy nose</b>	<b>Sometimes</b>	<b>Common</b>	<b>Sometimes</b>	<b>Common</b>
 <b>Runny nose</b>	<b>Sometimes</b>	<b>Common</b>	<b>Sometimes</b>	<b>Common</b>
 <b>Shortness of breath</b>	<b>Sometimes (less common than in adults, more common in adolescents than younger children)</b>	<b>Rare</b>	<b>Rare</b>	<b>Rare</b>
 <b>Sore throat</b>	<b>Sometimes</b>	<b>Common</b>	<b>Common</b>	<b>No</b>
 <b>Diarrhea</b>	<b>Sometimes</b>	<b>No</b>	<b>Sometimes</b>	<b>No</b>
 <b>Nausea, vomiting, abdominal pain</b>	<b>Sometimes</b>	<b>Rare</b>	<b>Sometimes (can be more common in young children)</b>	<b>No</b>
 <b>Chills</b>	<b>Sometimes</b>	<b>Rare</b>	<b>Common</b>	<b>No</b>
 <b>Sneezing</b>	<b>Rare</b>	<b>Common</b>	<b>Sometimes</b>	<b>Common</b>

**As symptoms can overlap or be easily confused among disease processes, it's recommended to visit your medical provider.**

\* **Infants <1 year** - Most common symptoms: Fever and poor feeding, followed by respiratory symptoms such as mild cough or difficulty breathing and vomiting. **Ages 1-9** - Most common symptoms: Fever, cough, headache, diarrhea, sore throat, runny nose, muscles aches. Less common: Shortness of breath, abdominal pain and loss of taste/smell. **Ages 10-18** - Most common symptoms: Headache, cough, sore throat, fever, muscle aches, shortness of breath, diarrhea, nausea and vomiting and loss of taste/smell.

**For more information:** [www.coronavirus.kdheks.gov](http://www.coronavirus.kdheks.gov)